

Certificate of Analysis

Productname: SyrSpend® SF Alka Unflavoured
Number of analysis/Inspection Code MON-204762B / KEUR-192024B
Batchnumber: 21H16-F07
Reference code / No.: 3828 / 21H16-F07
Analysed according to: INTERN

Tests	Requirement	Result	Unit	Standard remark
Appearance	White to off-white, free flowing powder	Conform		
Identification	Conform	Conform		Starch
Identification B	Conform	Conform		Carbonate
Identification C	Conform	Conform		Calcium
pH	$\geq 7,0$	8,4		
Solubility in water	Dispersible	Conform		
Assay Calcium carbonate	48,2 - 58,9	51,0	%m/m	
Total aerobic microbial count (TAMC)	$\leq 10^2$	Conform	CFU / g	
Total yeasts and moulds (TYMC)	$\leq 10^1$	Conform	CFU / g	
E. coli	Absent/ g	Conform		

Release:
Chantal Nobus
Qualified Person

16-09-21

Expiration: 08-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.



BioPharma
Product Testing

Certificate of Analysis

Page 1 of 3

Analytical Report: AAQ79750

Eurofins Sample Number: EB21AA4818-4

Version: 1

Fagron Services B.V.
Molenwerf 13
Uitgeest, 1911 DB
NL

Client Account Number: A00497292BNI
Eurofins Quote Number: WB9XPH21013406

Eurofins Sample Number EB21AA4818-4	
Original Received Date:	26-Aug-2021
Description:	Syrspend SF Alka Unflavoured
Lot Number:	21H16-F07
Containers Submitted:	3 Tank(s)
General Method Reference: 14ACE102 and 1-P-LB-WI-9043482	

Analysis	Specification	Result	Unit
Calcium Carbonate Content	48.2 to 58.9	50.9	%
Begin Method: 14ACE102 Analysis Date: 09-Sep-2021 to 09-Sep-2021			
Calcium Carbonate Content	48.2 to 58.9	50.6	%
Midden Method: 14ACE102 Analysis Date: 09-Sep-2021 to 09-Sep-2021			
Calcium Carbonate Content	48.2 to 58.9	51.5	%
Eind Method: 14ACE102 Analysis Date: 09-Sep-2021 to 09-Sep-2021			
Organoleptic Description	White free flowing powder	Meets Requirements	----
Method: 14ACE102 Analysis Date: 02-Sep-2021 to 02-Sep-2021			
Identification by Iodine reaction	Orange-Red to deep blue	Meets Requirements	----
Method: 14ACE102 Analysis Date: 02-Sep-2021 to 02-Sep-2021			
Identification of Carbonates	Effervescence is observed	Meets Requirements	----
Method: 14ACE102 Analysis Date: 02-Sep-2021 to 02-Sep-2021			

SPECIFICATIES
GECONTROLEERD
EN CONFORM

DATUM

15-09-21

PARAAF

YS

Analysis	Specification	Result	Unit
Identification of Calcium	Yellowish-red color to a nonluminous flame	Meets Requirements	----
Method: 14ACE102 Analysis Date: 02-Sep-2021 to 02-Sep-2021			
pH	>7.0	8.4	----
Method: 14ACE102 Analysis Date: 07-Sep-2021 to 07-Sep-2021			
Water solubility	The resulting suspension forms a cloudy, viscous liquid	Meets Requirements	----
Method: 14ACE102 Analysis Date: 07-Sep-2021 to 07-Sep-2021			
TAMC acc to HM	≤ 100	< 10	CFU/g
Method: Current Ph Eur (2.6.12), Not validated Method Analysis Date: 30-Aug-2021 to 04-Sep-2021			
TYMC acc. to HM	≤ 10	< 10	CFU/g
Method: Current Ph Eur (2.6.12), Not Validated Method Analysis Date: 30-Aug-2021 to 04-Sep-2021			
Escherichia coli search acc to HM	Absence	Absence	/1 g
Method: Current Ph Eur (2.6.13), Not Validated method Analysis Date: 30-Aug-2021 to 04-Sep-2021			
Sample Compliance Assessment			
EB21AA4818-4 meets the requirement(s) for all listed test(s) where specifications were applied.			
Eurofins BPT Testing Facility		Test	
Eurofins Pharma Quality Control Les Ulis Testing 9 Avenue de Laponie 91978 Les Ulis, Courtaboeuf Cedex FRANCE		Calcium Carbonate Content Identification by Iodine reaction Identification of Calcium Identification of Carbonates Organoleptic Description pH Water solubility	
Eurofins Pharma Quality Control Ste Croix en Plaine 16 Rue Clément Ader 68127 Sainte-Croix-en-Plaine FRANCE		Escherichia coli search acc to HM TAMC acc to HM TYMC acc. to HM	

SPECIFICATIES
 GECONTROLEERD
 EN CONFORM
 DATUM 15-09-21
 PARAAF YS



eurofins

BioPharma
Product Testing

Certificate of Analysis

Page 3 of 3

Analytical Report: AAQ79750

Eurofins Sample Number: EB21AA4818-4


Version: 1

Contracted Company: Eurofins Pharma Quality Control Les Ulis Testing

9 Avenue de Laponie, Les Ulis, Courtaboeuf Cedex, 91978 France

EPQC_ServiceClient@eurofins.com

Questions about this report should be directed to your project manager or the general email listed above.



Reviewed and electronically signed for Qualified Person Approval by
Anne-Lise BELLI, QA Pharmacist
for Eurofins Pharma Quality Control SAS, on 15-Sep-2021 09:50:30 UTC+02:00